Introduction 00 Setting Up QLab

Setting Up Loopback

Streamyard Setup

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Contact 0

Using QLab with Streamyard

Hussein Esmail

February 16, 2022

•0	Applications	Setting Up QLab 000000000000	Setting Up Loopback	Streamyard Setup	Contact O
Timesta	mps				

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで



- 2 Applications
- Setting Up QLab
- 4 Setting Up Loopback
- Streamyard Setup

6 Contact

Setting Up Loopback

Introduction

- To be used for Vanier College Productions but can be used elsewhere
- Intended to be on macOS devices for online performances





Figure 1: https://yorku.ca/laps/vcp/

・ロ・・聞・・思・・思・・ しゃくの

Introduction 00 Setting Up QLab

Setting Up Loopbac

Streamyard Setu 00000000

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Contact 0

Installation: QLab

 \odot





Figure 2: https://qlab.app/download/

Setting Up Loopback

Streamyard Setur 00000000

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Contact 0

Installation: Loopback

00





Figure 3: https://rogueamoeba.com/loopback/

Setting Up Loopba

Streamyard Setur

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Setting Up QLab

	G	Lab	
		Recent Workspaces	Templates
	QLab 4.6.9	HH.qlab4	
	Documentation \rightarrow		
	Technical Support $ ightarrow $		
	https://qlab.app $ ightarrow$		
Open Workspan from file.	ce		
H New Workspac	e nk workspace.		
Licenses No active licenses.			
		Cancel	Open Workspace

Figure 4: QLab After Installing



Figure 5: Recommended File Structure

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Introduction Applications 0000000000 Setting Up Loopback Streamyard Setup Coordinate Setting Up QLab

•••	Untitled Workspace 1 — Main Cue List	
GO		
d 🔹 🖗	⊟ ■ ア ♀ Ͷ ◎ ♡♬ ♡ ▶■■♡ハĊ→♂∪n못뿌∷	
Number Q	D Target Pre Wait > Action > Post Wait >	\$
5		
	No Cue Selected	
Edit Show	0 cues in 1 list	٥

Figure 6: A Blank QLab Workspace

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで



				Untitled	Worksp	ace 1 -	— Mair	n Cue Li	st					
G	60													
đ		8								•••				
										Pre Wait	`	>	Wait 🔰	• \$
_														
				No	o Cu	e Se	elect	ted						
Edit	Show				0 c	ues in 1	list							٥

Figure 7: Where to Drag Audio Files

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Introduction Applications 0000000000 Setting Up Loopback Streamyard Setup Contac

Setting Up QLab - Audio Added

•	••						🗋 Τι	itorial.ql	lab4 —	- Main	Cue Lis	t		_		
	G	0		1 Radi tes	o Jaz	z 1.m	p3									
													■ II ⊗ ⊄			
		Number	Q								Targe	t	Pre Wait >	Action 🗲	Post Wait	> \$
/	-0) -0)	1	2 Chai	o Jazz r Slida	1.mp: 1.mp	3					(U) (A)		00:00.00	06:50.34	00:00:00	
	=v ∎v)		3 Knor	ck.mp3	i.mp.						ă			00:01.92		
-																
	Basics	Triggers	Tim	ne & Loop	os	Aud	io Levels	Au	dio Trin		Audio	Effec	ts			
		1													× • • • •	
		06:50			= 👔 t	iussein	> 🛅 D(>	Sc >	VC VC	20	> 🖿 20		So 🖿 Sounds L	Insorted 🔹 📄 1 F	Radio Jazz 1.mp3	•
		00:00	.000	🗆 Fla	gged											
		00:00	.000	Aut												
		Do not co	ntinue 🗘	🗸 Arr												
I	Edit S	Show						3 (cues in f	1 list					I	٥

Figure 8: What QLab Looks Like With Audio

▲□▶ ▲□▶ ▲ □▶ ▲ □▶ □ のへぐ

Setting Up Loopback 000000000000

Setting Up QLab - Adding Notes

					🗋 Tự	itorial.ql	ab4 — Ma	in Cue Li:	st				
G	0	1.	1 Radio Ja:	zz 1.mp	3								
			is is a note										
đ							ۍ ت			■ II ⊗ ∽			
	Number							Targe		Pre Wait 🗲	Action 🔪		> \$
•		1 Radio	o Jazz 1.mp	3				•		00:00.00	06:50.34	00:00.00	
()		2 Chai	r Slide 1.mr	53									
()		3 Knoc	ck.mp3					0			00:01.92		
Desies				and and				and the state					
Basics	Triggers	1.00	e & Loops	Audio	Levels	Auc	dio Trim	Audio	Effect	s			
Number:											•)	× 🗕 🗕 🔍	•
Duration:	06:5	j0.338	Target: 👔	hussein	DC)	Sc -	vc 🖿	20 🖿 20	> 🖿 S	50 🖿 Sounds Un	sorted 🛛 📄 1 F	Radio Jazz 1.mp3	
Pre Wait:	00:0	00.000	E Flagged	T	nis is a	note							
Post Wait:	00:0	00.000	Auto-loa		10 10 4	Hote							
Continue:	Do not r	continue C	Armed										
Edit S	Show					3 0	ues in 1 list					I	

Figure 9: QLab Sounds After You Add Notes

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Setting Up QLab - Looping Sounds

•	••					Tutorial.q	lab4 — Mai	n Cue List	_	_		
1	C	0	1.1	Radio Jazz	1.mp3							
l	0	0	This	is a note								
								© ►	•■∎⊗⊻			
		Number						Target	Pre Wait 🗲	Action 🗲	Post Wait 🔉	
			1 Radio	Jazz 1.mp3					00:00.00	06:50.34	00:00.00	
	()		2 Chair	Slide 1.mp3				Ô		00:01.31		
	()		3 Knock	c.mp3				O		00:01.92		
_	Basics	Trigg	ers Time	& Loops	Audio Leve	els Au	- udio Trim	Audio Effe	cts			
			00:00.000	0.00	01:00	02:00	03:00	04:01	05:01	06:01	Use integrated fa	
			06:50.338								 Lock fade to star 	
	Play e										Rate: 1	
						_						
											<u>e</u> e •	
I	Edit	Show				3	cues in 1 list				1	٥

Figure 10: Sound > Time & Loops Tab > Play Count



							Tuto	rial.qlab	4 — Mai	n Cue List					
	G	0		1 · 1 Ra This is	dio Jazz a note	: 1.mp3									
	ð	•)	Ŷ								▶ ■	II			
		Number								Target		Wait 🗲	Action 🗲	Post Wait	▶ \$
				Radio Jaz	z 1.mp3							00.00			
	()		2	Chair Slic	le 1.mp3										
	()		3	Knock.mj	р3					•			00:01.92		
	Basics	Trigge	ers	Time & Lo	oops	Audio Le	vels	Audio	Trim	Audio Et	ffects				
	Audio Outpi 3 - Exter Set Defa	ut Patch mal Headp ault Levels	hones Se ^r	t All Silent Le	idit evels	Î		Î							own ting.
1	Assig	n Gangs	vi ci	isible hannels:	10	0 master	0	2)						
1	Edit	Show						3 cue	s in 1 list					1	۵

Figure 11: Sound > Audio Levels Tab > Audio Output Patch



۲	••			D Tute	orial.qlab4 — Main	Cue List				
ſ	C	0	1 · 1 Radio Jaz	z 1.mp3						
L			This is a note							
I							•∎∎⊙⊄		•∩∑⇔:	
		Number				Target	Pre Wait 🗲	Action 🗲	Post Wait 🗲	÷
			1 Radio Jazz 1.mp	в						
			2 Chair Slide 1.mp	3			00:00.00	00:01.31	00:00.00	
			3 Knock.mp3			1	00:00.00	00:01.92	00:00.00	
Ba	asics	Triggers	Time & Loops	Audio Levels	Audio Trim	Audio Effec	cts			
	sio Outpu mixed) Set Defa Assig	t Patch ault Levels	Cedit Set All Silent Levels Visible Channels: 10							
	Edit	Show			3 cues in 1 list					\$

Figure 12: Sound > Audio Levels Tab > Audio Output Patch

▲□▶ ▲圖▶ ▲匡▶ ▲匡▶ ― 匡 … のへで

Introduction Applications 00000000000 Setting Up Loopback Streamyard Setup Contactor Setting Up QLab - Adding Stops

	-					D Tut	orial al	ah4	Main	Cuelis					5
G	0		1 · 1 This	Radio Ja is a note	zz 1.mp3	3	onang	0.04	Wall	CUE LIS		_	_		
ð												■ II ⊗	~ C → C +	⊍ጥ፳ም∷	
-10	Number		Q 1 Dadia	logg 1 mg						Targe	τ	Pre wait	Action >	Post Walt > 1	-
-10	2		2 Chair	Side 1 m						~		00.00.00	00:01.34	00.00.00	
			Z Griali	Silue I.III	3					U			00.01.31		
	3		3 Knock	mn3									00:01 92		
Basics	Trigg	ers	Time	& Loops	Audio	Levels	Au	dio Trin	n	Audio	Effec	ts			
Audio Outp 3 - Exter Set Def: Assig	ut Patch mai Heady ault Level: n Gangs	ohone:	s C	Edit nt Levels	0 maste	r 1		0							
Edit	Show						4 0	cues in f	l list					⊥ 🗉 🌣	

Figure 13: Adding a cue that stops a previous audio cue

Introduction Applications 0000000000 Setting Up Loopback Streamyard Setup Con 000000000 O

Setting Up QLab - Auto-playing the Next Cue

٠	••			🖻 Tut	torial.qlab4 — Main	Cue List				
	G	0	1 · 1 Radio Ja: This is a note	zz 1.mp3						
1							∎∎⊗∽) n Z 💬 🕄	3
		Number	Q			Target	Pre Wait 🗲	Action 🗲	Post Wait 🗲	Ŷ
2	•)	1	1 Radio Jazz 1.mp	3		•	00:00.00	06:50.34	00:00.00	
	•)	2	2 Chair Slide 1.mp			0		00:01.31		1
	-43	2.5	stop 1 Radio Jazz	1.mp3						
	•))		3 Knock.mp3			Ø		00:01.92		
Ba	isics	Triggers	Time & Loops	Audio Levels	- Audio Trim	Audio Effec	zts			
								∎® ×	••••	
		06:50	.338 Target: 🕋	hussein > 🛅 D > 🛙	Sc> VC> 20	> 🖿 20 > 🖿	So> 🖿 Sounds U	nsorted 🛛 📄 1 Ra	dio Jazz 1.mp3	•
		00:00	.000 Flagged	This is a	note					
		00:00	.000 Auto-loar							
	ontinue	✓ Do not co Auto-cont	ntinue 📝 Armed							
	dit	Auto-follo	w		4 cues in 1 list				1	۵

Figure 14: Sound > Basics Tab > Continue

Introduction Applications 0000000000 Setting Up Loopback Streamyard Setup Contac

Setting Up QLab - Delay Before/After a Cue

	••			🗅 Tut	orial.qlab4 — Main	Cue List				
	G	0	1 · 1 Radio Jaz This is a note	zz 1.mp3						
							■ II ⊗ ∩		י∩צ ©:	
	43	Number	Q	0		Target	Pre Wait 🗲	Action >	Post Wait 🗲	Ŷ
2	-0) -10	1	1 Radio Jazz 1.mp	3 .0				06:50.34	00:01 21	•
	-10	25	stop 1 Radio Jazz	1 mn 3		1			00:00.00	
	()	3	3 Knock.mp3	iiiipo		6		00:01.92		
E	lasics	Triggers	Time & Loops	Audio Levels	Audio Trim	Audio Effec	ts			
			1 Name: 1 R					s) ×	•••	
		06:5	0.338 Target: 👔	hussein 🖿 Do 📘	Sc> VC> 20	> 🖿 20 > 🖿	So 🖿 Sounds Ui	nsorted 📄 1 Rai	dio Jazz 1.mp3	•
		00:0	0.000 Flagged	This is a	note					
		00:0	0.000 Auto-load							
		Do not c	ontinue 🗘 🗹 Armed							
I	Edit S	how			4 cues in 1 list				1	۵

Figure 15: Sound > Basics Tab > Pre/Post Wait

Setting Up Loopback

•••	Loopback					
Oevices	Loopback	Audio 🖉				
All to Zoom	Sources Pass-Thru	۰.	Output Channels 2 Channels		Monitors	۰.
••	4% Pass-Thru	On	Channels 1 & 2			
Loopback Audio	1 (2 (1 0% \screw Options	L) ←	Channel 1 (L) Channel 2 (R)	=:		
QLab-Streamyard	The Pass-Thru applications to into this virtua 9%	• 100% a source enables other send audio directly I device.				
Streamyard-Zoom	1 7%					
Zoom-Headphones/OBS	0%					
New Virtual Device	Delete				8	Hide Monitors

Figure 16: Loopback After Installing

▲□▶ ▲□▶ ▲三▶ ▲三▶ 三三 のへで

Setting Up Loopback



Figure 17: Adding QLab and Microphone as Audio Sources

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

00	00	000000000000	0000	00000000 .	0
<u> </u>					

Setting l	Jp∣	Loop	back	: - F	-inal	Pro	duct
-----------	-----	------	------	-------	-------	-----	------

		🕑 Log	opback			
i Devices	Tutorial /					
4) — 84%	Sources		Output Channels		Monitors	• ·
Loopback Audio	1 App, 1 Device		2 Channels		1 Device	
9	MacBook Pro Micr		Channels 1 & 2		External Head	phon On 🚺
4)● 100%			Channel 1 (L)	<u> </u>		Channel 1 (L)
QLab-Streamyard	Y		Channel 2 (R)			Channel 2 (R)
요즘 External Microphone, QLab	> Options				> Options	
∎() <u> </u>						
Streamyard-Zoom	QLab					
O External Microphone		ニク				
∎() <u> </u>						
Tutorial	~ Options					
📥 QLab	Mute when captur	ring				
• 100%		01000				
Zoom-Headphones/OBS						
zoom.us						
• 100%						
+ New Virtual Device	Delete				-	🛞 Hide Monitors

Figure 18: What Loopback Looks Like When It's Ready

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ ― 臣 … のへぐ





Figure 19: What We Are Doing In Loopback

イロト 不得 トイヨト イヨト

э.



🗯 Brave File Edit View His	tory Bookmarks Profiles Tab Window Help	C = 20 € 2 € 3	🖻 ┥ 100% 🚍 🛛 Wed Feb 9 9 4	2.34 PM Q 🚳 🖼 😑
🔍 🔍 🐘 StreamYard	× +			
	yard.com/teams/FIIZPG7s6L2gz6pDYWkdQVAk/broadcasts		💱 🔺	🔊 🔍 🔄 🏦 🖻 🗉
🖿 School 📄 Social 🖿 Work 🕌 N	4e 🗼 DL 🎧 Git 📓 GCal 🧃 GCal 📀 tendoc online doc.	📧 Regex Online 📙 Book a Space at t		🛑 Other Bookmarks
💫 Stream Yard				My account
Broadcasts				
Videos	Broadcasts			
< Destinations				
A Members NEW	Upcoming Past			
	Create a broadcast 👒			
	- Newburdent			
		Created Scheduled		
	Give pre-recorded video	Feb 8, 09:19 PM Feb 15, 09:00 PM	Enter studio	
	Learn more about pre-recorded broadcasts			
	VIC TD TEST	Feb 8, 07:54 PM —	Enter studio	
Team settings				
Recording storage 🕐				
8 of 50 hours Addit more				
	🗿 🖄 🚫 🖬 🧰 🗃 🦉 🌌 😒	🛛 🗆 🌒 🛄 🕅 🖉 🖉		HI CARA

Figure 20: Creating a Test Broadcast (1/2)

▲□▶ ▲□▶ ▲□▶ ▲□▶ ■ ●の00





Figure 21: Creating a Test Broadcast (1/2) - Set tests as unlisted!



Figure 22: Having the Correct Microphone (1/3)





Figure 23: Having the Correct Microphone (2/3)





Figure 24: Having the Correct Microphone (3/3)





Figure 25: Adding Yourself To The Stream





Figure 26: Make Sure Your Camera Is Off





Figure 27: Logo in top-right corner > View on YouTube

Introduction 00 Applications

Setting Up QLab

Setting Up Loopbacl

Streamyard Setup

Contact



Figure 28: https://husseinesmail.xyz/contact/